

Revised Sequence Listing filed 2006-06-27
SEQUENCE LISTING

<110> Merlo, Adrian
Macke, Helmut
Reubi, Jean-Claude
Good, Stephan

<120> Radiopharmaceuticals for Cancer Diagnosis and Treatment

<130> 2005_1392A

<140> 10/549,665

<141> 2005-09-19

<150> PCT/EP2004/050329

<151> 2004-03-18

<160> 19

<170> PatentIn version 3.3

<210> 1

<211> 11

<212> PRT

<213> Homo sapiens

<400> 1

Arg Pro Lys Pro Gln Gln Phe Phe Gly Leu Met
1 5 10

<210> 2

<211> 11

<212> PRT

<213> Artificial

<220>

<223> Synthetic Construct

<220>

<221> Residue

<222> (11)..(11)

<223> Xaa = methionine-sulfone or methionine-sulfoxide

<400> 2

Arg Pro Lys Pro Gln Gln Phe Phe Gly Leu Xaa
1 5 10

<210> 3

<211> 11

<212> PRT

<213> Artificial

<220>

<223> Synthetic Construct

<400> 3

Arg Pro Lys Pro Gln Gln Phe Phe Gly Leu Ile
Page 1

1 5 10
 <210> 4
 <211> 11
 <212> PRT
 <213> Artificial
 <220>
 <223> Synthetic Construct
 <400> 4
 Arg Pro Lys Pro Gln Gln Phe Phe Gly Ile Met
 1 5 10

<210> 5
 <211> 11
 <212> PRT
 <213> Artificial
 <220>
 <223> Synthetic Construct

<220>
 <221> Residue
 <222> (9)..(9)
 <223> Xaa = N-methylglycine (sarcosine)
 <400> 5

Arg Pro Lys Pro Gln Gln Phe Phe Xaa Leu Met
 1 5 10

<210> 6
 <211> 11
 <212> PRT
 <213> Artificial
 <220>
 <223> Synthetic Construct

<220>
 <221> Residue
 <222> (7)..(7)
 <223> Xaa = 3-(2-thienyl)-alanine
 <400> 6

Arg Pro Lys Pro Gln Gln Xaa Phe Gly Leu Met
 1 5 10

<210> 7
 <211> 11
 <212> PRT
 <213> Artificial
 <220>

<223> Synthetic Construct

<220>

<221> Residue

<222> (8)..(8)

<223> Xaa = 3-(2-thienyl)-alanine

<400> 7

Arg	Pro	Lys	Pro	Gln	Gln	Phe	Xaa	Gly	Leu	Met
1				5					10	

<210> 8

<211> 11

<212> PRT

<213> Artificial

<220>

<223> Synthetic Construct

<220>

<221> Residue

<222> (7)..(7)

<223> Xaa = 3-(2-thienyl)-alanine

<220>

<221> Residue

<222> (8)..(8)

<223> Xaa = 3-(2-thienyl)-alanine

<400> 8

Arg	Pro	Lys	Pro	Gln	Gln	Xaa	Xaa	Gly	Leu	Met
1				5					10	

<210> 9

<211> 11

<212> PRT

<213> Artificial

<220>

<223> Synthetic Construct

<400> 9

Arg	Pro	Arg	Pro	Gln	Gln	Phe	Phe	Gly	Leu	Met
1				5					10	

<210> 10

<211> 11

<212> PRT

<213> Artificial

<220>

<223> Synthetic Construct

<220>

Revised Sequence Listing filed 2006-06-27

<221> Residue
<222> (3)..(3)
<223> Xaa = Ornithine

<400> 10

Arg Pro Xaa Pro Gln Gln Phe Phe Gly Leu Met
1 5 10

<210> 11
<211> 11
<212> PRT
<213> Artificial

<220>
<223> Synthetic Construct

<220>
<221> Residue
<222> (9)..(9)
<223> Xaa = N-methylglycine

<220>
<221> Residue
<222> (11)..(11)
<223> Xaa = methionine-sulfone

<400> 11

Arg Pro Lys Pro Gln Gln Phe Phe Xaa Leu Xaa
1 5 10

<210> 12
<211> 11
<212> PRT
<213> Artificial

<220>
<223> Synthetic Construct

<220>
<221> Residue
<222> (8)..(8)
<223> Xaa = 3-(2-thienyl)-alanine

<220>
<221> Residue
<222> (11)..(11)
<223> Xaa = methionine-sulfone

<400> 12

Arg Pro Lys Pro Gln Gln Phe Xaa Gly Leu Xaa
1 5 10

<210> 13
<211> 11
<212> PRT

<213> Artificial

<220>

<223> Synthetic Construct

<220>

<221> Residue

<222> (7)..(7)

<223> Xaa = 3-(2-thienyl)-alanine

<220>

<221> Residue

<222> (9)..(9)

<223> Xaa = N-methylglycine

<220>

<221> Residue

<222> (11)..(11)

<223> Xaa = methionine-sulfone

<400> 13

Arg Pro Lys Pro Gln Gln Xaa Phe Xaa Leu Xaa
1 5 10

<210> 14

<211> 11

<212> PRT

<213> Artificial

<220>

<223> Synthetic Construct

<220>

<221> Residue

<222> (8)..(8)

<223> Xaa = 3-(2-thienyl)-alanine

<220>

<221> Residue

<222> (9)..(9)

<223> Xaa = N-methylglycine

<220>

<221> Residue

<222> (11)..(11)

<223> Xaa = methionine-sulfone

<400> 14

Arg Pro Lys Pro Gln Gln Phe Xaa Xaa Leu Xaa
1 5 10

<210> 15

<211> 11

<212> PRT

<213> Artificial

<220>

<223> Synthetic Construct

<220>

<221> Residue

<222> (7)..(7)

<223> Xaa = 3-(2-thienyl)-alanine

<220>

<221> Residue

<222> (9)..(9)

<223> Xaa = N-methylglycine

<400> 15

Arg	Pro	Lys	Pro	Gln	Gln	Xaa	Phe	Xaa	Leu	Met
1				5					10	

<210> 16

<211> 11

<212> PRT

<213> Artificial

<220>

<223> Synthetic Construct

<220>

<221> Residue

<222> (7)..(7)

<223> Xaa = 3-(2-thienyl)-alanine

<220>

<221> Residue

<222> (11)..(11)

<223> Xaa = methionine-sulfone

<400> 16

Arg	Pro	Lys	Pro	Gln	Gln	Xaa	Phe	Gly	Leu	Xaa
1				5					10	

<210> 17

<211> 11

<212> PRT

<213> Artificial

<220>

<223> Synthetic Construct

<220>

<221> Residue

<222> (7)..(7)

<223> Xaa = 3-(2-thienyl)-alanine

<220>

<221> Residue

<222> (8)..(8)

<223> Xaa = 3-(2-thienyl)-alanine

Revised Sequence Listing filed 2006-06-27

<220>
 <221> Residue
 <222> (9)..(9)
 <223> Xaa = N-methylglycine

<400> 17

Arg	Pro	Lys	Pro	Gln	Gln	Xaa	Xaa	Xaa	Leu	Met
1				5					10	

<210> 18
 <211> 11
 <212> PRT
 <213> Artificial

<220>
 <223> Synthetic Construct

<220>
 <221> Residue
 <222> (7)..(7)
 <223> Xaa = 3-(2-thienyl)-alanine

<220>
 <221> Residue
 <222> (8)..(8)
 <223> Xaa = 3-(2-thienyl)-alanine

<220>
 <221> Residue
 <222> (9)..(9)
 <223> Xaa = N-methylglycine

<220>
 <221> Residue
 <222> (11)..(11)
 <223> Xaa = methionine-sulfone

<400> 18

Arg	Pro	Lys	Pro	Gln	Gln	Xaa	Xaa	Xaa	Leu	Xaa
1				5					10	

<210> 19
 <211> 11
 <212> PRT
 <213> Artificial

<220>
 <223> Synthetic Construct

<220>
 <221> Residue
 <222> (7)..(7)
 <223> Xaa = 3-(2-thienyl)-alanine

<220>
 <221> Residue
 <222> (8)..(8)

<223> Xaa = 3-(2-thienyl)-alanine

<220>

<221> Residue

<222> (11)..(11)

<223> Xaa = methionine-sulfone

<400> 19

Arg	Pro	Lys	Pro	Gln	Gln	Xaa	Xaa	Gly	Leu	Xaa
1				5					10	